SUBJECT INDEX

A

Al-Cu
  interdiffusion of bulk and thin film couples of, 169–73
Al_2O_3
  dielectric strength, 188
  grown by atomic layer epitaxy, 187–88
    as ion barrier against sodium diffusion, 188
    use in electroluminescent devices, 187, 191
Alcogel
  product of sol-gel prepared with tetraethylorthosilicate, 228
Alloys
  decomposition of, 43–78
    spinodal decomposition, 44–45, 71–77
  grain structures shown in thermal-wave imaging, 110
  nucleation and growth mode of decomposition, 44, 63–71
    Ni-Al, 63–65
    Ni-Cu-Al, 66–68
  phase separation investigations, 45–49
  see also Field-ion microscopy
Aluminum alloys
  morphology of cellular and dendritic interfaces in, 140
Aluminum-copper alloys
  linear stability for, 125–27
Aluminum hydroxide
  generation of colloids, 487
Aluminum oxides
  generation by Al-sec-butoxide decomposition, 498
  generation from urea, 494
Alunites
  hexogonal and monoclinic
    generation from acidic ferric salt solution, 490
Ammonium chloride
  "smoke" production through liquid aerosol dispersion, 504–5
Amorphous silicon
  annealing influences, 85
  applications, 97–100
    collection of longer wavelength photons, 97–98
    electrophotography, 99–100
    laser printers, 100
    memory switch, 99
    solar cells, 97
    thin film field effect transistors, 98–99
    vidicon-type image pickup tubes, 100
boron-doping effects on growth rates, 80–81
density-of-states
  dangling bond distribution, 83
  deep level transient spectroscopy, 86–87
  defects in the network, 85–87
  distribution in the mobility gap of a-Si:H, 82–87
  tail states of valences and conduction bands, 82–84
drift mobility and lifetime of, 95
hydrogenated, 79–102
  introduction, 79
luminescence
  absolute quantum efficiency, 93–94
  light-induced spin resonance, 93
  optically detected magnetic resonance, 93
  photoconductivity changes with illumination, 94–95
  photo-induced absorption, 94
  photothermal deflection spectroscopy, 93–94
  two-beam photoluminescence, 94
metastable effects of illumination, 95–97
  Staebler-Wronski effect, 95–96
nonradiative recombination, 97–93
  low dangling bond density effects, 90–91
  optical quenching, 92–93
  spin-dependent photoconductivity measurement, 87–90
optical two-beam techniques, 93
photoelectric yield spectroscopy, 84–86
preparation techniques, 79–81
  chemical vapor deposition, 80
    decomposition of silicon-hydrogen compounds in glow discharge, 79–80
    dual-beam deposition, 80–81
    film-producing species, 80
  radiative recombination of, 93
  role of hydrogen, 81
    distribution of hydrogen, 81
Anisotropic surface tension
  and interface kinetics of linear stability analysis, 130
Anisotropy
  see Magnetic recording materials
Aorta
  interlamellar elastin and collagen network functions, 466–67
  mechanical properties of, 464–68
Anionic partial structures
  metalloid bonding of, 8–9
Anions
  single atom
    structural equivalence of, 4–6
    Zintl phases, 2–7
Atom-probe field-ion microscopy
  alloy investigations, 59–77
  analysis of
    autocorrelation, 57–59
    random-area, 55–56
    selected area, 55–56
  design and operation of, 45–49
  image formation
    crystallographic patterns, 49
    decomposed alloys, 49–54
    persistence-size technique, 54
    precipitate contrasts, 49–53
  results
    modes of decomposition, 59–60
    theories of nucleation and growth mode decomposition kinetics, 60–62
  see also Field-ion microscopy
Atomic diffusion
  in crystalline solid at equilibrium, 158–61
Atomic jump frequency
  of solid at equilibrium, 158–61

Atomic layer epitaxy
apparatus developed, 178
chemisorption of $ZnCl_2$ by ZnS surface, 183–84
dosing and intensity of reactants, 181–83
early proof of the mechanism, 178–79
electroluminescent devices, 191–92
exceptional features, 179–80
exchange reaction, 184
growth of ZnS, 179–80
introduction, 177
materials made by
oxides, 187–88
ZnS-Mn, 184–87
substrate used in, 181
temperature dependence of growth rate, 183–84

B

$BaAlSb_3$
structure of, 22
Zintl phases for, 20–21
$BaGe_2As_2$
structure of Ge-As link, 27
Ba_3Si_4
structure of, 15–16
Ba_4SiAs_4
structure type, 19
$Ba_3Si_4P_6$
structure of, 27
$Ba_6Sn_2P_6$
structure of, 25
$BaTiO_3$
equilibrium electrical conductivity of, 333–35
Becker-Vollmer theory
of nucleation and growth kinetics, 60–62
Berthollides
particle material in magnetic recording, 392
preparation procedures, 513–14
Bardeen-Cooper-Schrieffer theory
coexistence of ferromagnetism and superconductivity, 214–15
Boron compounds
structural principles in, 18
Brownmillerite structures
see Oxides, brownmillerite structures

C

Ca_3AlAs_3
structure of, 20–21
$Ca_3Al_2Ge_3$
structure of, 24
$CaAl_2S_4$
structure of, 23
$Ca_5Al_2Sb_6$
structure of, 27–28
$Ca_{14}AlSb_{11}$
structure of, 19–21
Ca_2As_2
stoichiometry of, 14
$CaIn_2$
structure of, 9
$CaSb_2$
structure of, 11–12
$Ca_{11}Sb_{10}$
anionic bonds in, 14
Ca_5Si_3
structure of, 12
Cadmium carbonate
generation from urea, 494–95
Cadmium selenide
electrodeposition of, 206–7
Cadmium sulfide
electrodeposition of, 204–6
preparation of colloidal spherical particles, 514
Cadmium telluride
bulk growth of layers by heteroepitaxy, 319–24
electrodeposition, 207–8
growth by atomic layer epitaxy, 188–91
interface sharpness, 190–91
overlayers grown on nonpolar CdTe, 188
Cahn's theory
of spinodal decomposition, 62
Carbon
amorphous diamond-like overcoating for magnetic films, 407
Cartilage
mechanical properties of, 468–75
Cathodic reduction
deposition of cadmium sulfide using, 204–5
$Cd_{1-x}Mn_xTe$
grown by atomic layer epitaxy, 188–91
Cellular growth
comparison of two-dimensional configurations with results of computations, 142
directional solidification
convection during, 142
basic governing equations, 121–22
free boundary problem, 120
introduction, 119–20
linear stability theory, 120, 123–30
experimental measurement of, 139–41
cell spacings, 140
dendritic growth of lead-based alloys, 141
high growth velocities stability theory, 131
morphology of cellular and dendritic interfaces in aluminum alloys, 140
stability criterion and constitutional supercooling criterion, 131
wavelength selection, 139
linear theory of instability, 130–32
nonlinear stability theory, 132–39
boundary fixing technique, 139
expansion methods, 132–36
numerical methods, 141
numerical solution to discrete equations, 136–39
steady state conditions for observations, 142
Ceramics
secondary ion mass spectrometry, applications to, 545
Chalcogenides
structure of, 122–24
ternary phases of rare-earth elements and molybdenum, 217–20
Chemical diffusion
linear, 161
nonlinear, 161–64
kinetic nonlinear equation, 162
thermodynamic nonlinear equation, 163
Chemical vapor deposition
compared to pyrolytic deposition, 558
of hydrogenated amorphous silicon, 80
Chromium dioxide
particle material for magnetic recording, 393
Chromium hydroxide
generation of colliods, 487
Cis-trans chains
of intermetallic subcompounds, 25–26
Collagen fibrils
biological functions of Types I and III, 464
chemical constituents and structure of, 455–57
of intestinal tissue, 461

of the intervertebral disc, 475
tendon strength of, 460–61
Constitutive equation
for determining deformation models, 251
Copper (I) oxides
formation using organometallic compounds in homogeneous precipitation, 498–99
Coulomb interaction
of grain boundary trap sites, 281
Coulomb repulsion effect
see Mott-Hubbarb Coulomb repulsion energies
Crystalline disruptions and variations
applications of thermal-wave imaging, 111–17
Crystallographic shear
defects affecting perovskite-related oxides, 330–31
Crystal-melt interface
linear stability analysis of, 123–25
Cu-Fe
atom-probe studies of decomposition, 68
Cu-Ti
atom-probe studies of spinodal decomposition, 71–72

D

Data storage
see Magnetic recording materials
Deformation modeling
see Rate-dependent plasticity
Deuterium nuclear magnetic resonance of solid polymers
introduction, 359–60
line shapes, 361–64
for motions intermediate on resonance scales, 364
for motions slow on resonance scales, 364
"magic angle", 362–63
Pake patterns, 361–62
quantized energy levels, 361
phase separation in polymers, 375–76
polymer main chain motions, 367–72
alkyl chain motions, 368–69
aromatic rings in main chain, 369–72
properties of, 360
relaxation
inversion-recovery spectra, 364–65
side chain motions, 372–75
aromatic rings, 374
methyl rotation, 372–74
polymeric liquid crystals, 374–75
spin lattice relaxation times, 373
Diffusion barriers
to reduce interdiffusion in thin films, 154–57
Direct access storage devices, 385
Directional solidification
see Cellular growth
Dopant segregation
of polycrystalline silicon, 295–96

E

Earth compounds
structures of group III, 15–19
structures of group IV, 9–13
structures of group V, 11, 14
Earth metals
alkaline
A^{2+} cation formations, 6
8-N rule
of bonds in the anionic partial structure of metalloids, 8
oligomeric and polymeric units conforming to, 14–15
polyanion bonds, 24
"Einereinfachketten"
polyanion structures of, 21
Electroepitaxy
used in growth of epitaxial mercury cadmium telluride, 313
Electroluminescent displays
see Atomic layer epitaxy
Electron beam–induced current analysis
correlations with thermal-wave imaging, 112–13
Electrophotography
using amorphous silicon, 99–100
Electroplating
see Semiconductors, elemental
Epitaxial mercury cadmium telluride
growth techniques, 305–19
heteroepitaxy, 319–24
introduction, 303–4
liquid phase epitaxy, 305–19
superlattices, 324
temperature ranges for growth, 304
Epitaxy
molecular beam
for III-V semiconductor materials, 531
Ethanol
produced through hydrolysis in sol-gel silica processing, 229
"Exo" bond electrons
of polar intermetallic compounds, 18
of gallium icosahedra, 18

F

Fe-Be
atom-probe studies of spinodal decomposition of, 73
Fe-Cr-Co
atom-probe studies of spinodal decomposition of, 73–76
Fe_3O_4
see Inverse spinal magnetite
Fermi level pinning (saturated barrier) effect
in silicon grain boundaries, 282
Ferromagnetism and superconductivity
Bardeen-Cooper-Schrieffer theory, 214–15
coexistence over a wide temperature range, 218–19
dilute substitutional alloys, 212–17
introduction, 211
overlapping of, 215–17
ternary phases of rare-earth elements and molybdenum chalcogenides, 217–20
additive pair-breaking theory, 219–20
ternary phases of rare-earth elements and rhodium borides, 220–22
pseudoternary rare-earth Rh_4B_4 compounds, 222–25
temperature dependence of the critical magnetic fields, 220–21
thermal hysteresis, 220
Field-ion microscopy
applications to decomposition of alloys, 43–78
introduction, 43–45
theories of spinodal decomposition kinetics, 62–67
Fluorocarbon plasma polymerized

overcoating for magnetic film, 407

G

Gadolinium
ferromagnetic and superconduction transition temperatures of, 212–15
Gallium
icosahedra, 18
polyhedra, 16–18
Zintl phases, 18
Gallium arsenide
electrodeposition of, 207
Gamma ferric oxide
recording materials, 389–92
see also Inverse spinal magnetite
Germanates
structure of, 19
Germanium
electrodeposition of, 204
Grain boundary diffusion
in thin films, 148
of indium in nickel, 534
Grain boundaries in silicon, 271–302
effect on steady state minority carrier distribution, 292–94
barrier height alterations during illumination, 291–92
defects
dangling bonds, 277–78
electrically active trap states associated with dislocation, 276
enhanced oxygen segregation to boundaries, 277
impurity effects on dislocations, 276
recombination activities, 276
electrical behavior
impurity effects on, 274
incomplete bonding or "broken" bonds, 273–74, 277
lattice strain, 273
electrical transport properties of polycrystalline silicon, 294–300
Fermi level pinning (saturated barrier) effect, 282
frequency-dependent majority carrier transport, 289–90
introduction, 271–72
near zero-bias conductance behavior, 283–85
specific defects of, 275–78
structure
first-order twin boundaries, 275–76
high angle boundaries, 275
low angle boundaries, 274
regular line defects, 274
transport properties
effect of dangling bond defects on, 277
trap state density measurements, 286–88
charge emission observation, 287–88
I-V deconvolution, 286
thermal emission monitoring, 287
see also Polycrystalling silicon; Silicon bicrystals

H

Halogenides
pnictide, 4
Hematite
colloid preparations of, 512–13
generation from ferric chloride solutions, 487–88
particle generation by precipitating ferric hydroxide, 503
Heteroepitaxy
see Epitaxial mercury cadmium telluride
$HoMo_6S_8$
ferromagnetism and superconductivity of, 217–19
Hydrogen
role in hydrogenated amorphous silicon, 81
Hypercritical evacuation
drying step in sol-gel silica processing, 241–42
Hyrtel copolyester
see Polymers, phase separation of

I

I-carbon
overcoating for magnetic film, 407
Icosahedra
structure and characteristics of, 15–18
Indium phosphide
electrodeposition of, 208
Institute of Inorganic Chemistry, Darmstadt, 2
Interdiffusion in thin films
distance of diffusion for classifying, 157–64
early studies, 148–49
growth of thin films of intermetallic compounds, 147–48, 166–67
in bulk couples, 164–73
introduction, 147–49
linear region of chemical diffusion, 161
marker motion analysis, 147
metallurgical degradation due to, 153–61
kinetic rate in films, 153
microelectronic applications of thin films, 150–53
nonlinear region of chemical diffusion, 161–64
temperature variables, 149
Intermetallic compounds
polar, 1–41
classification of, 2
heteropolar bonding of, 33–35
introduction, 1–2
ionic bonding model, 7–8
see also Zintl phases
Intervertebral disc
mechanical properties of, 475–80
Intestine
mechanical properties of, 461–64
Inverse spinal magnetite
as thin film magnetic recording material
saturation magnetization, 404
signal loss, 405
Iron-oxides
cobalt-modified
particulate material for magnetic recording, 392–93
generation of colloids, 487
Isoanions
oligomeric and polymerics with Zintl phases, 18

J–K

$K_3Al_2As_3$
structure of, 23
K_5CuSb_2
structure of, 29–30
K_2SiP_2
structure of, 22

L

Lanthanum
ferromagnetism and superconducitivity of, 212–15
Laser direct writing
apparatus used in, 551–52

optical train for the laser beam, 552
sample cell design, 552
deposition techniques
photolytic, 552
pyrolytical, 552–54
electrical properties of, 570–74
introduction, 549–50
material microstructure, 568–70
photolytic decomposition, 571–74
photolytic deposition
from metal alkyls, 559–60
growth rate of, 563–64
photodissociation during surface and gas phases, 559
surface nucleation, 560, 565
photolytically grown fibers, 568–70
process spatial resolution, 564–68
uniform substrates, 567–68
pyrolytic deposition
electrical properties of, 570–71
from neat gases, 557–59
rate of, 560–63
surface nucleation of deposited material, 559
Laser printers
using amorphous silicon, 100
Laser processing
see Laser direct writing
Linear stability analysis
effect of convective flow, 129
solutal convection effects, 129
Liquid phase epitaxy
electroepitaxy, 313
high pressure system to control mercury vapor pressure, 308–10
horizontal Te-rich melt growth system, 311–12
mercury cadmium telluride grown from Hg-rich solutions
apparatus requirement for, 311
horizontal growth of, 310–13
mercury cadmium telluride grown from Te-rich solutions, 305–10
open-tube techniques used in Hg partial pressure control; 306
slide graphite boat, 306–8
vapor pressure control, 306
Lithium semimetal compounds
heteropolar bonding of, 33
Luminiscence
radiative recombination of amorphous silicon and, 93

M

Magnesium compounds
characteristics of, 3
Magnetic recording materials
amorphous Co-Sm, 401–2
anisotropy, 388
coercive squareness, 382
continuous PET web recording tape, 400–1
longitudinal
density of data storage of, 380–81
magnetization reversal approximation, 382
magnetization reversal model, 399–400
metal in-plane anisotropic films, 400–2
noise and defects affecting recording capability, 383
particulate media, 387–96
anisotrophy, 387–88
berthollides, 392
curling, 388
dispersions and coating process, 389
fundamental properties of, 387–80
gamma ferric oxide, 389–92
metal particles, 393–94
perpendicular media, 394–96
recording process, 379–84
sputtering, 404
storage media forms, 384–85
substrates, 385–86
thin films
laminating, 398–99
metal in-plane isotropic films, 397–400
nonmetal in-plane isotropic films, 402–5
overcoats, 406–7
perpendicular anisotrophy films, 405–6
plating process, 397–98
sputtering, 398
undercoating, 398
vacuum deposited films, 399
Magnetic recording
transition length, 381–82
Magnetic thin films, 397–400
Magnetite
colloidals generated by phase transformation, 501–2
preparation of spherical particles, 515
Magnetization reversal model, 399–400
Magnets
elongated single-domain
theory of permanence, 74–75
Mechanical properties of connective tissues
aorta, 464–68
collagen/elastin ratio, 465
collagen Types I, III, V, 465–66
mucopolysaccharide species, 466
structure, 464
articular cartilage, 468–75
fatigue testing of, 475
mucopolysaccharide concentration and distribution, 470
proteoglycan content, 471–73
response to compressive loading, 473–75
strength and stiffness, 471–72
Type II collagen fibrils in, 468–69
intervertebral disc
composition, 475
compression loading, 478–79
proteoglycan contractions of, 477–78
intestine, 461–64
collagen I and III found in, 461–62
response to tensile strength, 462–63
introduction, 455–57
tendon, 457–61
damage processes, 460–61
fascicle, 459
planar waveforms of, 458
uniaxial structure of, 457–61
Mercury cadmium telluride
see Epitaxial mercury cadmium telluride
Metal alkyls
photochemical deposition of, 559–60
Metallic bond concept, 1
Metallography
applications of thermal-wave imaging, 109–11
Metallurgical degradation

diffusion barriers used to reduce interdiffusion, 154–55
due to interdiffusion in thin films, 153–61
flow of materials through grain boundaries, 154
Metal oxide colloids
generation of, 486–87
generation from decomposition mechanisms, 500–1
Metal particles
as particulate material in magnetic recording, 393–94
Metal-semimetal-oxygen compounds
Zintl phases of, 6–7
$MgCu_2$
structure of, 16
Microelectronics
applications of interdiffusion in thin films, 150–53
Microscopy
see Field-ion microscopy
Microstructural evolution
dislocation dynamics, 261
hardening, 260–63
recovery, 261–63
strain rate/recovery process relationship, 263
Molecular beam epitaxy
in growth of mercury cadmium telluride, 317–18
Monodispersed colloids
aerosols, 503–8
falling film generator usage, 506, 509
metal oxide production, 507
polymer colloids prepared, 507–8
homogeneous precipitation process
conditions maintained, 486
decomposition of metal complexes, 497–501
deprotonation of hydrated cations, 486–91
precipitation anion-controlled release, 491–97
introduction, 483–85
phase transformation, 501–3
recrystallization, 501
of spherical aluminum (hydrous) oxide, 501
Mott-Hubbard Coulomb repulsion energies, 413–17
mean-field calculated energies, 428
mean-field and multiplet correction component, 422–23
for *N*-electron system, 443

N

$Na_7Al_2Sb_5$
structure of, 28
Na_2CuAs
structure of, 30–31
Na_7Ga_{13}
structure of, 15–19
Nernst equation
for potential EM of a metal electrode, 198
Ni-Al
atom-probe studies of decomposition, 63–68
Ni-Si
interdiffusion of bulk and thin film couples, 169–73
Nuclear magnetic resonance
see Deuterium nuclear magnetic resonance

O

Octahedra
bonding angles of, 25–26
Oligo and poly heteroanions
created by metalloids and transition metals, 29–32
Orthoarsenido-silicates
structure of, 19
Orthophosphido-silicates
structure of, 19
Orthosalts
structure of, 19–20
"Ostwald ripening"
precipitation kinetics in alloys, 44
Oxidation
anodic
deposition of cadmium sulfide using, 204–5
reduction kinetics of elemental semiconductors, 198–99
Oxides
acceptor-doped branch: $2.5 \leq O/Sr \geq 3.0$, 337–47
brownmillerite structure of, 337–38
equilibrium electrical conductivity of, 342–46
compensated substitutions: O/Sr = 3.0, 351–54
defect ionization, 343–47
defects and order in perovskite-related, 329–57
defects versus electrostatic attraction of oppositely charged defects
dielectric constants affecting ordered structures, 330
electrostatic attraction of oppositely charged defects, 329
point defect chemistry of, 329–30
structures of, 329–32
superstructures derived from defects, 331
donor-doped branch: $3.0 < O/Sr < 3.5$, 347–50
intergrowths of various thicknesses, 348
interstitial oxygen of, 348–49
reduction to oxygen-deficient compositions, 349–50
grown by atomic layer epitaxy, 187–88
ideal perovskites, 332–35
donor impurity effects upon solid solution behavior, 334–35
perovskite-related structures, 335–37
aliovalent impurities, 336–37
compositional line for, 336
pnictide, 4–6
structures intermediate between brownmillerite and perovskite endmembers, 338–40
orthorhomic lattic symmetry of, 340–41
tetralide, 4

P

Personal computers
see Magnetic recording materials
Photolytic decomposition
film resistivity/bulk metal ratio, 572–73
growth rate of, 563–64
Photolytic deposition technique
from metal alkyls, 559–60
in laser direct writing, 552–57
material microstructure, 568–70
Photothermal deflection spectroscopy
measurement of radiative recombination of amorphous silicon, 93–94
Plasticity
see Rate-dependent plasticity
Pnictide halogenides
see Halogenides, pnictide
Pnictide oxides
see Oxides, pnictide
Polar intermetallic compounds
subcompounds of, 25–27
see also Intermetallic compounds

Poly(butylene terephthalate)
complex phenyl ring motions, 369–71
deuterium nuclear magnetic resonance chain motion experiments, 369
Polycarbonate
aromatic rings in the main chain of, 372
methyl rotations in, 374
Polycrystalline silicon
electrical transport properties of, 294–300
behavior of material with uniform grain boundary properties, 295–98
measuring carrier concentration in films, 299–300
transport behavior in a real polycrystalline silicon matrix, 298–99
Polyethylene
alkyl chain motion experiments on, 368
Poly(ethylene terephthalate)
complex phenyl ring motion of, 369–71
Polymeric liquid crystals
deuterium nuclear magnetic resonance spectroscopy, 374
Polymers
phase separation in, 375–76
secondary ion mass spectrometry uses in studies of, 544–45
Poly(methyl methacrylate)
methyl rotation rates of, 372–74
Polystyrene
deuterium nuclear magnetic resonance chain motion experiments, 368–69
deuterium spin lattice relaxation experiments, 374
Polysulfone
complex phenyl ring motions of, 371–72
Potentiometric titrations
analytical developments of, 2
Pyrolytic deposition
in laser direct writing, 552–59
electrical properties of, 570–71
material microstructure of, 570
rate of, 560–63

R

Rare-earth elements
see Ferromagnetism and superconductivity
Rate-dependent plasticity
aggregate internal variables for describing microstructure, 252
creep studies, 257
dissipation and stability criteria, 266–69
instantaneous deformation rate, 252–59
introduction, 249–51
kinetic equations for a fixed microstructure, 252–59
constraints in model equation formulation, 257
stress dependence, 254–56
structure dependence, 256–59
temperature dependence, 253–54
material state and thermodynamic variables, 251–52
mechanical equation of state, 264–66
microstructural evolution of, 259–64
microstructural variables for modeling, 251–52
phenomenological relationships and laws, 259
power-law rate dependencies, 254–55
structural dependence
complex equations, 257–58
isotropic/directional strengthening effects, 256–57
thermal/athermal effects, 256–57
Reaction rate theory
applied to metal deformation, 253
Rhodium borides
ferromagnetism and superconductivity of, 220–22

S

Salts
ionic bonding components in Zintl phases, 3–4
Scanning electron microscope
used in thermal-wave imaging, 103–118
Schottky barriers
reduction of interdiffusion in thin films, 156–57
Secondary ion mass spectrometry
applications in biological studies, 541–42
applications in ceramics studies, 545
applications in geology, 537–41
high mass resolution and energy discrimination techniques, 539–40
isotope discrimination, 540–41
standards used for, 539–40
applications in polymer studies, 544–45
applications in surface analysis, 542–44
qualitative, 543
quantitative, 543–44
surface structure studies, 544
crossing distance variables, 522
detection/ionization efficiency, 518
introduction, 517–18
ion implantation, 524–25
in metals, 534
ionization probabilities
relevant potential energy of ions, 520–21
lateral microanalysis, 519
limits of detection, 519, 529–30
matrix effects, 520–25
metals studies, 531–37
bulk diffusion studies, 535–37
grain boundary diffusion, 534
hydrogen effects, 537
ion implantation, 534
ion yields from amorphous metals, 531
subsurface precipitates, 534
quantitative analysis of, 520–25
semiconductor studies of, 526–31
Semiconductors
electrodeposition of, 197–210
alloys and compound, 199–200
cadmium selenide, 206–7
cadmium telluride, 207–8
current/potential control, 200
doping, 201, 204, 208
electrolyte composition, 200
equilibrium potentials of alloy or compound components, 199
kinetics of, 198–200
of germanium, 204
oxidation-reduction kinetics of, 198
quasi-rest potentials, 198
rate of mass transport of solute species' rate of deposition, 199

silicon electrodeposited from molten salts, 202–3
silicon from organic solvents, 203–4
substrate and deposit characteristics, 200
ternary semiconductors, 209
thermodynamics, 198–99
elemental, 197–99
post-electrodeposition annealing of CdSe, 201
secondary ion mass spectrometry implant analysis, 524
diffusion studies, 526
silicon studies, 526–30
see also Transition atom impurities in semiconductors
Si-Fe
bound-state wave function for interstitial, 437
spin-polarized calculation, 439–40
Silicates
O^{2-} particle replacement in tetrahedra, 19
sol-gel processing of
see Sol-gel silica
Silicides
as polycide gates in MOSFET devices, 157
used as diffusion barrier in thin films, 156–57
Silicide films
early research, 149
Silicon
"dangling bond", 282
electrodeposition
from molten salts, 202–3
from organic solvents, 203–4
grain boundaries in, 271–302
secondary ion mass spectrometry implantation studies, 526–30
see also Amorphous silicon; Grain boundaries in silicon; Sol-gel silica
Silicon bicrystals
Coulomb interaction energies of, 281
distribution of grain boundary traps, 280–81
electronic properties of, 278–94
frequency-dependent majority carrier transport, 289–90
grain boundaries in equilibrium, 278–82
minority carrier effects at grain boundaries, 290–94
barrier height alterations during illumination, 291
effect on steady state minority carrier distribution, 292–94
trap state density measurements, 286–88
Silicon film
"aluminum penetration" problem, 155
see also Diffusion barriers
SiO_2
overcoating for magnetic films, 407
Sodium thallium compounds
structural characteristics of, 7–9
Solar cells
development with amorphous silicon, 97
Sol-gel silica
"alcogel" defined, 228
applications, 246
alkali ion conductivity, 246
multicomponent gels, 246
condensation polymerization, 227–32
densification, 243–45
differential thermal analysis/thermalgravimetric analysis curves, 243–44
time-temperature viscosity plot, 245
drying process, 227, 241–43
definition, 243
in thin films and fibers, 243
hypercritical evacuation, 241
shrinkage, 241–42
formulations for mixing process, 228–29
gelation, 232–37
time-to-gel point, 235–36
viscosity determination, 232–33
viscosity in centipoise, 234
viscosity versus time curves, 233, 235
hydrolysis, 229–32
experimental techniques for qualitative description of, 230–31
hydroxide production through, 231–32
polymerization simultaneous with, 230
reactions of, 227–28
solubility during, 239
reagents, 227–28
transition from one-phase liquid to two-phase alcogel or xerogel, 237–41
molecular dynamic simulations, 238
nucleation and growth during, 240
percolation theory of, 239–40
solubility during hydrolysis, 239
Spectrometry
see Secondary ion mass spectrometry
Spectroscopy
Rutherford backscattering, 149
$SrAs_3$
structure of, 15
Sr_3As_4
structure of, 12–13
Sr_2Sb_3
structure of, 13
Staebler-Wronski effect
metastable effects of amorphous silicon, 95–96
Stress dependence
of deformation, 254–56
Superlattices
of epitaxial mercury cadmium telluride, 324

T

Tendon
mechanical properties of, 457–60
Ternary compounds
structural motifs, 30–32
Tetraethylorthosilicate (TEOS)
reagent in sol-gel processes, 227–28
Tetrahedrally bonded atoms
Ba_3Si_4, 15–16
structural characteristics of Zintl phases, 8–10
Tetralide oxides
see Oxides, tetralide
Thermal hysteresis
versus temperature and superconductivity, 220
Thermal-wave imaging
applications
crystalline disruptions and variations, 111–12
metallography, 109–111
subsurface mechanical defects, 108
correlation studies
with electron beam–induced current analysis, 112–13
with X-ray topography, 113–17

introduction, 103
methodology, 104–7
scanning electron microscope, 106–7
thermoacoustic detection, 104–7
Thermodynamic equation of state
used in rate-dependent plasticity equations, 251
Thickening of layered compounds in bulk couples
diffusion-controlled growth equation, 165–66
interfacial reaction-controlled growth, 166–67
kinetic analysis of layered growth in thin films, 164–73
Thin film production
see Atomic layer epitaxy
Three-bonded atoms
structures of, 10–11
Tissues
see Mechanical properties of tissues
Transistors
thin film field effects of, 98–99
Transition atom impurities in semiconductors
binding energy universal features, 445–50
electronic configurations, 434–35
electronic transitions
intra-center d→d* excitations, 415
ionizations, 415–16
exchange correlation negative effective *U*, 442–44
high exchange splittings, 414
interstitial 3d impurities in silicon, 435–38
defect energy levels around band gap, 436
spin-polarized calculations for, 438–42
wave function of e- symmetry for Si:Fe
ionization states of transition atoms compressed to narrow band gap, 414
lattice relaxation effects, 444–45
mean-field donor, acceptor, and Coulomb energies, 426–28
mean-field electronic structure method of calculation, 425–26
mean-field transitions
energy level diagrams, 423–25
Mott-Hubbard Coulomb repulsion energies, 416–17
multiplet/mean-field effects on separation, 417–23
deconvolution excitation and ionization energies, 417
impurity Wannier orbitals of, 419–21
nomenclature, 411–15
Coulomb repulsion effect, 413–15
substitutional and interstitial 3d impurities, 411–12
one-electron levels for substitutional impurities, 428–30
dangling bond hybridization, 428–30
decomposition, 429
orbital energies for free ions, 413
stability of charged states, 430–34
vacuum pinning rule, 448–49
Tropocollagen
see Collagen fibril

U

Uranium
superconductivity of compounds with ferromagnetic or antiferromagnetic elements, 216–17
Urea
in colloidal particle generation, 491–96

V

Valence electron transference of polar intermetallic compounds, 8
Vapor phase epitaxy, 313–19
isothermal epitaxy, 313–14
laser evaporation, 318–19
molecular beam epitaxy, 317–19
CdTe-HgTe superlattices, 318
open tube transport, 317
organometallic, 314–17
lower growth temperatures via photosensitization, 316
transport and pyrolysis of the reactants, 316
sputtering, 318
vacuum deposition, 317
Velocity
relationship to stress dependence of individual dislocations in single crystals, 255
Vidicon-type image pickup tubes
development with amorphous silicon, 100

X

X-ray topography
correlations with thermal-wave imaging, 113–17

Z

Zinc telluride
electrodeposition of, 208
Zintl, Eduard
intermetallics research of, 2
Zintl phases
isoanions, 7–19
single atom anions with filled valence shells, 2–7
with oligomeric and polymeric heteroanions, 19–33
Zirconium alloys
superconducting transition temperatures of, 212
ZnS
growth with atomic layer epitaxy, 179–83
ZnS-Mn
growth with atomic layer epitaxy, 184–87
crystal structure of, 186
diffraction patterns, 184–85
texture of the thin film, 185–86